



Jefferson Community College
Parking Lot C & D and Outdoor Courts Reconstruction
BCA Project No. 2022-076

Addendum #1
April 15, 2024

This addendum is hereby made part of the Contract Documents as though it were originally included therein and must be acknowledged by the bidder in the proper place on the bid form.

Project Manual

1. Reference Form of Proposal – Contract No. 1: **REPLACE** this section in its entirety, pages 1 through 16 with the attached Form of Proposal – Contract No. 1.
2. Reference Form of Proposal – Contract No. 2: **REPLACE** this section in its entirety, pages 1 through 12 with the attached Form of Proposal – Contract No. 2.

Contract Drawings

3. Reference Contract Drawing AD-1 Athletic Details:
 - a. **DELETE** reference to Bottom Tension Wire in its entirety. *(Note: The fence shall have a bottom rail only.)*
 - b. **ADD** the following note:
“Chain Link Fencing shall be designed and constructed per selected manufacturers specifications. Engineer will review all chain link fence submittals for compliance with NYSDOT and Jefferson County specifications.”
4. Reference Contract Drawing UTP-1 Utility Plan – Contract No. 1:
 - a. **MODIFY** reference to 12” Perforated CPP, Item 603.1605 which connects the 45-degree flat underdrain to state “12” SICPP, Item 603.9812”.
 - b. **ADD** the following note: “All drainage connections shall be determined by the contractor and priced accordingly under the appropriate item numbers.”
5. Reference Contract Drawing UTP-2 – Court Utility Plan – Contract No. 2:
 - a. **ADD** the following note: “12” flat underdrain shall be converted to 6” round (Item 605.1702) at edge of parking lot”.
 - b. **ADD** the following note: “Provide 6” underdrain, Item 605.1702” for each extension of underdrain to daylight at stone apron.
6. Reference Contract Drawing S-3 Court Site Plan – Contract No. 2: **ADD** the following note: “5. 10’ Chain Link Fence shall be vinyl coated black to match fencing at the turf field. Utilize NYSDOT standard specifications and standard sheets for item 607.0514 and associated gates.”



Jefferson Community College
Lot C and D & Outdoor Courts Reconstruction
BCA Project No. 2022-076
April 12, 2024
Page 2

7. Reference Contract Drawing S-3 Court Site Plan – Contract No. 2 – **REPLACE** note 4 with the following note:
“4. Court netting posts, ground sockets, foundations and netting shall be installed under contract no. 2 and paid by Section 11 6833 Athletic Field Equipment – Tennis Court Netting System and Section 11 6833 Athletic Field Equipment – Pickleball Court Netting System.”
8. Reference Contract Drawing S-3 Court Site Plan – Contract No. 2 – **ADD** the following note: *“6. If Bid Alternate 2.1 is not selected, the asphalt court surface shall be striped with the following colors:
Tennis Courts – White (Item 640.20)
Pickleball Courts – Blue (Item 640.25000010)
Basketball Court – Yellow (Item 640.21)”*
9. Reference Contract Drawing GN-1 General Notes and Legend: **ADD** the PG Binder Special Note attached on page 3 of this document.

Respectfully submitted,

Jeremy Glen, PE
Associate/Director of Transportation

FORM OF PROPOSAL
Jefferson Community College
Contract No. 1 - Parking Lot Reconstruction

BID DESCRIPTION

CONTRACT NO. 1 – Parking Lot Reconstruction

Work under this Contract may generally be described to include, but not be limited to the following:

Procurement and general requirements; Technical Divisions 0, 1, 2, Appendix A and described in Section 01 1000 Summary as well all other work and related materials as indicated on the Contract Drawings, the New York State Department of Transportation Standard Specification and Sheets, as specified herein, and as required for the complete and proper execution of the Work within the established time frame.

This outline is a general indication of the requirements of this Contract and is not intended to be all inclusive. The complete Contract Documents in their entirety, to include any and all addenda, form the basis of the responsibility of this Contract.

Each Contractor is advised that the AIA 201-2017 General Conditions of the Contract for Construction and specification sections in Division 1 - General Requirements apply distinctly to each Prime Contractor and the balance of the technical specifications apply to each Contractor (as appropriate) for the accomplishment of his work.

All work of this contract shall be coordinated with other Prime Contractors involved in the project. All work shall additionally be coordinated with all other activities, construction, or others at each site throughout the progress of the work of this project.

The Contractor shall use all means possible and shall be responsible for coordinating the installation of all materials of this Contract with work of all other trades involved with this project. All work shall be done in strict accordance with the Contract Documents and in compliance with all applicable Local, State and Federal Codes.

Prior to the Bid Date of this project, the Contractor shall be completely responsible for visiting the project site to become completely familiar with the scope of this project.

Each bidder agrees to waive any claim it has or may have against the Owner, the Architect/Engineer, and the respective employees, arising out of or in connection with the administration, evaluation or recommendation of any bid.

It shall be completely understood that the use of asbestos containing materials in this project is strictly forbidden and all materials are provided in accordance with the Federal Asbestos Hazard Emergency Response Act (AHERA), and the New York State Asbestos Safety Act (SASA).

In addition to those items in the Base Bid, the Contractor shall further sub-divide his bid proposal as described in the following bid items, alternates, and/or unit prices. The Contractor shall include in the Base Bid all of the work of this Contract not specifically described in a Bid Item or Alternative. The Owner reserves the right to accept any and/or all of the Bid Items and/or Alternates or any combination thereof and to waive any informalities or defects in the bid proposals either before or after opening

FORM OF PROPOSAL
Jefferson Community College
Contract No. 1 - Parking Lot Reconstruction

Allowance

As described in Specification Section 01 2100 – Allowances.

Alternate No. 1.1 – Porous Paver Replacement

As described in Specification Section 01 2300 – Alternates.

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|-------------------|--------------------------------------|--------------|------|------------------------------------------------|-------------------------|-------------------|
| 203.02 | Unclassified Excavation and Disposal | 12,242 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 203.03 | Embankment in Place | 24 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 206.01 | Structure Excavation | 39 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 206.0201 | Trench and Culvert Excavation | 206 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 207.21 | Geotextile Separation | 23,904 | SY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 207.23 | Geotextile Slope Protection | 1,501 | SY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 209.13 | Silt Fence - Temporary | 1,279 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| | | | | | Total This Page | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|-------------------------------------------------------------------|--------------|------|------------------------------------|-------------------------|-------------------|
| 209.1702 | Drainage Structure Inlet Protection, Gravel Bag - Temporary | 8 | CY | _____ dollars _____ cents | \$ | \$ |
| 209.18030124 | Vegetated Mat | 440 | SY | _____ dollars _____ cents | \$ | \$ |
| 304.0194009 | Trailway Top Course, Stone Dust | 3 | CY | _____ dollars _____ cents | \$ | \$ |
| 304.12 | Subbase Course, Type 2 | 7,680 | CY | _____ dollars _____ cents | \$ | \$ |
| 404.1283 | 25 F 3 Top Course, 80 Series Compaction | 2,520 | Ton | _____ dollars _____ cents | \$ | \$ |
| 404.2589 | 25 F9 Binder Course WMA, 80 Series Compaction | 5,030 | Ton | _____ dollars _____ cents | \$ | \$ |
| 407.0102 | Diluted Tack Coat | 1,210 | gal | _____ dollars _____ cents | \$ | \$ |
| 418.76030 | Asphalt Pavement Joint Adhesive | 450 | LF | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|-----------------------------------------------------------------------------------------|--------------|------|------------------------------------------------|-------------------------|-------------------|
| 552.17 | Shields and Shoring | 360 | SF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 555.97010016 | Concrete for Structures, Class HP (Reinforcement Included in and no bar list in Plans.) | 13 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 603.16120010 | Corrugated steel pipe interceptor drain, 12-inch diameter, 16 gauge | 410 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 603.9812 | Smooth Interior Corrugated Polyethylene Culvert and Storm Drain, 12 inch diameter | 240 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 603.9818 | Smooth Interior Corrugated Polyethylene Culvert and Storm Drain, 18 inch diameter | 30 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 604.070701 | Altering Drainage Structures, Leaching Basins and Manholes | 9 | Each | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 604.070702 | Altering Drainage Structures, Leaching Basins and Manholes | 1 | Each | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 604.300103 | Rectangular Drainage Structure (Type A) for #3 Welded Frame | 5 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------|------------------------------------------------|----------------------|-------------|-------------------------------|---------------------------------|---------------------------|
| 605.0901 | Underdrain Filter Type 1 | 181 | CY | _____ dollars _____ cents | \$ | \$ |
| 605.1702 | Optional Underdrain Pipe, 6 inch diameter | 95 | LF | _____ dollars _____ cents | \$ | \$ |
| 605.1705 | Optional Underdrain Pipe, 12 inch diameter | 4,740 | LF | _____ dollars _____ cents | \$ | \$ |
| 608.0101 | Concrete Sidewalks and Driveways | 23 | CY | _____ dollars _____ cents | \$ | \$ |
| 608.21000003 | Cast Iron Embedded Detectable Warning Units | 7 | SY | _____ dollars _____ cents | \$ | \$ |
| 609.0401 | Cast-in-place Concrete Curb | 1090 | LF | _____ dollars _____ cents | \$ | \$ |
| 609.99970011 | Precast Concrete Wheel Stop | 20 | EA | _____ dollars _____ cents | \$ | \$ |
| 610.1402 | Topsoil - Roadside | 213 | CY | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|---------------------------------------------------------------------|--------------|------|------------------------------------|-------------------------|-------------------|
| 610.1601 | Turf Establishment – Road side | 1,916 | SY | _____ dollars _____ cents | \$ | \$ |
| 620.03 | Stone Filling (Light) | 7 | CY | _____ dollars _____ cents | \$ | \$ |
| 627.50140008 | Cutting Pavement | 450 | LF | _____ dollars _____ cents | \$ | \$ |
| 640.21 | Yellow Paint, ReflectORIZED Pavement Stripes, 20 mils. | 14,580 | LF | _____ dollars _____ cents | \$ | \$ |
| 645.5101 | Ground-mounted Sign Panels without T-bars | 26 | SF | _____ dollars _____ cents | \$ | \$ |
| 645.81 | Type A Sign Posts | 17 | EA | _____ dollars _____ cents | \$ | \$ |
| 647.31 | Relocate sign panel, Sign panel Assembly Size Under 30 square feet. | 5 | EA | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------|--------------------------------------------------------------------------------------|----------------------|-------------|------------------------------------|---------------------------------|---------------------------|
| 655.1103 | Welded Frame and Reticuline Grate 3 | 1 | EA | _____ dollars _____ cents | \$ | \$ |
| 685.1102 | White Epoxy ReflectORIZED Pavement Stripe, 20 mils. | 304 | LF | _____ dollars _____ cents | \$ | \$ |
| 685.3404 | White Epoxy ReflectORIZED Pavement Symbols, 20 mils. Portable/Hand Application | 17 | EA | _____ dollars _____ cents | \$ | \$ |
| 698.04 | Asphalt Price Adjustment | 10,250 | DC | One Dollar and zero cents | \$1.00 | \$10, 250.00 |
| 698.05 | Fuel Price Adjustment | 5030 | DC | One Dollar and zero cents | \$1.00 | \$5,030.00 |
| | Division 26 – Conduit, Pull Boxes and Pull Strings | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| 619.01 | Basic Work Zone Traffic Control | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| 625.01 | Survey Operations | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|-------------------------------------------------------------------|-----------|------|-------------------------------|----------------------|----------------|
| 699.04001 | Mobilization | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| | Field Allowance | 1 | LS | Ninety Thousand _____ dollars | \$90,000 | \$90,000 |
| | Section 01 2000 Price and Payment Procedures: Bonds and Insurance | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| | Section 01 2000 Price and Payment Procedures: Submittals | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | |

| | In WORDS | In FIGURES (NUMBERS) |
|-------------------------------------------------------|------------------------------|----------------------|
| TOTAL BASE BID (Lump Sum Total) Contract No. 1 | _____ Dollars _____ cents | \$ |

(Transfer this figure onto sheet 12 of the Form of Proposal)

ALTERNATE NO. 1-1 – REPAIR OF EXISTING POROUS PAVERS

| NYS DOT ITEM # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------|------------------------------------------------------|----------------------|-------------|------------------------------------|---------------------------------|---------------------------|
| 203.02 | Unclassified Excavation and Disposal | 342 | CY | _____ dollars _____ cents | \$ | \$ |
| 207.21 | Geotextile Separation | 683 | SY | _____ dollars _____ cents | \$ | \$ |
| 304.12 | Subbase Course, Type 2 | 239 | CY | _____ dollars _____ cents | \$ | \$ |
| 404.1283 | 12.5 F3 Top Course WMA, 80 Series Compaction | 78 | TON | _____ dollars _____ cents | \$ | \$ |
| 404.2589 | 25 F9 Binder Course WMA, 80 Series Compaction | 157 | TON | _____ dollars _____ cents | \$ | \$ |
| 407.10 | Diluted Tack Coat | 38 | GAL | _____ dollars _____ cents | \$ | \$ |
| 418.7603 | Asphalt Pavement Joint Adhesive | 290 | LF | _____ dollars _____ cents | \$ | \$ |
| 627.50140008 | Cutting Pavement | 290 | LF | _____ dollars _____ cents | \$ | \$ |
| 608.0304008 | Remove, Store and Reset Concrete Block Porous Pavers | 188 | SY | _____ dollars _____ cents | \$ | \$ |

ALTERNATE NO. 1-1 – REPAIR OF EXISTING POROUS PAVERS

| NYS DOT ITEM # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------------------------------------------------|---------------------|--------------|------|------------------------------------|-------------------------|-------------------|
| | | | | In WORDS | In FIGURES (NUMBERS) | |
| Total for Alternate No. 1-1 Repair of Existing Porous Pavers | | | | <hr/> <hr/> Dollars <hr/> cents | \$ | |

(Transfer this figure onto sheet 12 of the Form of Proposal)

FORM OF PROPOSAL
Jefferson Community College
Contract 1 - Parking Lot Reconstruction

Undersigned _____
Contractor

_____ Address _____ Zip Code

hereby certifies that he has examined and fully comprehends the requirements and intent of the drawings and specifications as prepared by BCA Architects & Engineers for **CONTRACT NO. 1 – GENERAL CONSTRUCTION** to furnish all labor, materials, supplies, plant and equipment and other facilities to properly perform the work for the total:

TOTAL BASE BID (*Bring to total forward from spreadsheet*)

_____ DOLLARS (\$ _____)

ALTERNATES

ALTERNATE NO. 1-1 – REPAIR OF EXISTING POROUS PAVERS (*Bring to total forward from spreadsheet*)

_____ DOLLARS (\$ _____)
(ADD)

FORM OF PROPOSAL
Jefferson Community College
Contract 1 - Parking Lot Reconstruction

Receipt of the following Addenda is hereby acknowledged:

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

(Name of Bidder)

Signed _____

Title _____

Street _____

City/State _____ Zip Code _____

Telephone _____

Fax _____

Cell Phone _____

Email _____

Date _____, 2024 _____

NON-COLLUSIVE BIDDING CERTIFICATE

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:

- (1) the prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
- (2) unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly to any other bidder or to any competitor; and
- (3) no attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(Signed) _____

Title

RESOLUTION - for corporate bidders only

RESOLVED that _____ be authorized to sign and submit the bid

(individual)

or proposal of this corporation for the following project

(describe project)

and to include in such bid or proposal the certificate as to non-collusion required by section one hundred three-d of the General Municipal Law as the act and deed of such corporation, and for any inaccuracies or misstatements in such certificate this corporate bidder shall be liable under the penalties of perjury.

=====
The foregoing is a true and correct copy of the resolution adopted by _____ corporation at a meeting of its Board of _____ held on the _____ day of _____, 20__.

(SEAL OF CORPORATION)

**Statement Concerning Authority to do Business
in the State of New York for non-New York State Companies**

Please complete all requested information in both sections below.

A certificate of authority is required of out of state companies if the company has property, employees or agents used in conducting its business activities within the state of New York. Generally, business activities are defined as having an office in the state, making sales or promotional calls within the state, delivering products or merchandise and/or making service calls within the state.

Companies conducting mail order activities with New York customers are not considered doing business within New York State if the company **has no property, employees, agents and/or representatives in or, traveling into the state.** _____ is such a mail order company, and as such, is not

(Fill in company name)

required to hold a Certificate of Authority.

Performance under the attached bid will not result in any action that would result in a requirement to obtain a Certificate as all commerce will be conducted by mail. It is the opinion of the legal counsel for this firm:

Name _____
Address _____ Complete the information
Address _____
Telephone _____

that this firm is not required to file an Authority to do Business in New York State as required by Section 1301 of the NYS Business Corporate Law.

=====

Complete one of the following two acknowledgements in addition to above information.

Individual Acknowledgment for Sole Proprietors or Partnerships

Signature

State of _____
County of _____ ss.
On this _____ day of _____, two thousand and _____
before me, the subscriber, personally appeared _____
to me personally known and known to me to be the same person described in and who executed the within
Instrument, and he acknowledged to me that he executed the same.

Notary Public

Corporate Acknowledgment for corporations or LLC's

Signature

State of _____
County of _____ ss.
On this _____ day of _____, two thousand and _____ before me personally known,
who, being by me duly sworn did depose and say that he resides in _____ that he is
the _____
of _____ the corporation described in, and which executed, the above Instrument; that
he knows the seal of said corporation; that the seal affixed to said Instrument is such corporate seal; that it was so
affixed by order of the Board of Directors of said corporation; and that he signed his/her name thereto by like
order.

NOTARY PUBLIC

FEDERAL LAW CERTIFICATION

I, _____ [insert name], the _____
[insert title] of _____ [name of company],
_____ [Nine Digit DUNS Number] hereby swear or affirm that the following is true:

1. The company, its principles or entities related to the company named above, is not now, nor ever has been, debarred from contracting with the United States Government or any State government.
2. The company is not now under investigation by any agency of the Federal Government or the government of any State for any actions by the company, its principles or any related entity, for any alleged malfeasance or misfeasance of any kind or nature which could lead to a debarment from governmental contracting or criminal prosecution, as well as render any contracts signed in reliance on this certification voidable by the party relying on this certification. This includes any violations related to the Davis-Bacon Act, the federal prevailing wage statute, the Copeland Act and the Contract Hours and Safety Standards Act which covers hours of work and safety standards in federal public contracting.
3. I have full legal authority under my company's organizational documents or bylaws to make this certification on the company's behalf.
4. I understand that submission of a false statement on this document will subject me to criminal prosecution.

(Date)

(Signature)

THIS FORM MUST BE COMPLETED AND SUBMITTED WITH THE BID

FORM OF PROPOSAL
Jefferson Community College
Contract No. 2 – Outdoor Courts Reconstruction

BID DESCRIPTION

CONTRACT NO. 2 – Tennis Court Reconstruction

Work under this Contract may generally be described to include, but not be limited to the following:

Procurement and general requirements; Technical Divisions 0, 1, 2, 3, 11, 32 Appendix A and described in Section 01 1000 Summary as well all other work and related materials as indicated on the Contract Drawings, the New York State Department of Transportation Standard Specification and Sheets, as specified herein, and as required for the complete and proper execution of the Work within the established time frame.

This outline is a general indication of the requirements of this Contract and is not intended to be all inclusive. The complete Contract Documents in their entirety, to include any and all addenda, form the basis of the responsibility of this Contract.

Each Contractor is advised that the AIA 201-2017 General Conditions of the Contract for Construction and specification sections in Division 1 - General Requirements apply distinctly to each Prime Contractor and the balance of the technical specifications apply to each Contractor (as appropriate) for the accomplishment of his work.

All work of this contract shall be coordinated with other Prime Contractors involved in the project. All work shall additionally be coordinated with all other activities, construction, or others at each site throughout the progress of the work of this project.

The Contractor shall use all means possible and shall be responsible for coordinating the installation of all materials of this Contract with work of all other trades involved with this project. All work shall be done in strict accordance with the Contract Documents and in compliance with all applicable Local, State and Federal Codes.

Prior to the Bid Date of this project, the Contractor shall be completely responsible for visiting the project site to become completely familiar with the scope of this project.

Each bidder agrees to waive any claim it has or may have against the Owner, the Architect/Engineer, and the respective employees, arising out of or in connection with the administration, evaluation or recommendation of any bid.

It shall be completely understood that the use of asbestos containing materials in this project is strictly forbidden and all materials are provided in accordance with the Federal Asbestos Hazard Emergency Response Act (AHERA), and the New York State Asbestos Safety Act (SASA).

In addition to those items in the Base Bid, the Contractor shall further sub-divide his bid proposal as described in the following bid items, alternates, and/or unit prices. The Contractor shall include in the Base Bid all of the work of this Contract not specifically described in a Bid Item or Alternative. The Owner reserves the right to accept any and/or all of the Bid Items and/or Alternates or any combination thereof and to waive any informalities or defects in the bid proposals either before or after opening

FORM OF PROPOSAL
Jefferson Community College
Contract No. 2 – Tennis Court Reconstruction

Allowance

As described in Specification Section 01 2100 – Allowances.

Alternate No. 2.1 – Tennis Court Surfacing Systems (Uncushioned)

As described in Specification Section 01 2300 – Alternates.

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------|-------------------------------------------|----------------------|-------------|------------------------------------------------|---------------------------------|---------------------------|
| 203.02 | Unclassified Excavation and Disposal | 2,180 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 206.0201 | Trench and Culvert Excavation | 73 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 207.21 | Geotextile Separation | 4,890 | SY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 209.13 | Silt Fence - Temporary | 270 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 304.12 | Subbase Course, Type 2 | 1,710 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 404.0683 | 6.3F 3 Top Course, 80 Series Compaction | 420 | Ton | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 404.1989 | 19 F9 Binder Course, 80 Series Compaction | 700 | Ton | _____ _____ _____ dollars _____ cents | \$ | \$ |
| | | | | | | |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|----------------------------------------------------------------------------------------------------------------------|--------------|------|------------------------------------------------|-------------------------|-------------------|
| 605.0901 | Underdrain Filter Type 1 | 57 | CY | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 605.1702 | Optional Underdrain Pipe, 6 inch diameter | 436 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 605.1705 | Optional Underdrain Pipe, 12 inch diameter | 1,520 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 608.0101 | Vinyl Coated Steel Chain Link Fence on Plastic-coated Frame with Top Rail 10 Feet High. | 910 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 607.1617 | Vinyl Coated Steel Chain Link Fence Gate on Plastic-coated Frame Single-Leaf 4 feet (wide), 8 feet (high) | 2 | EA | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 607.1643 | Vinyl Coated Steel Chain Link Fence Gate on Plastic-coated Frame Single-Leaf 12 feet (wide), 10 feet (high) | 1 | EA | _____ _____ _____ dollars _____ cents | \$ | \$ |
| 607.96000008 | Remove and Dispose of Existing Fence. | 940 | LF | _____ _____ _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | \$ |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|---------------------------|----------------------------------------------------------------------------------------------------------------|----------------------|-------------|-------------------------------|---------------------------------|---------------------------|
| | Section 11 6833 Athletic Field Equipment – Tennis Court Netting System | 4 | EA | _____ dollars _____ cents | \$ | \$ |
| | Section 11 6833 Athletic Field Equipment – Pickleball Court Netting System | 2 | EA | _____ dollars _____ cents | \$ | \$ |
| | Section 11 6833 Athletic Field Equipment – Basketball Post with 4-foot extension, Backstops, Hoops and netting | 2 | EA | _____ dollars _____ cents | \$ | \$ |
| 640.20 | White Paint Reflectorized Pavement Stripes – 20 Mils | 1,840 | LF | _____ dollars _____ cents | \$ | \$ |
| 640.21 | Yellow Paint Reflectorized Pavement Stripes – 20 Mils | 580 | LF | _____ dollars _____ cents | \$ | \$ |
| 640.25000010 | Blue Reflectorized Pavement Marking Paint for Handicapped Parking Spaces | 1,060 | LF | _____ dollars _____ cents | \$ | \$ |
| 698.04 | Asphalt Fuel Adjustment | 1,750 | DC | One Dollar and Zero Cents | \$1.00 | \$1,750 |
| 698.05 | Fuel Price Adjustment | 910 | DC | One Dollar and Zero Cents | \$1.00 | \$910 |
| Total This Page | | | | | | |

BASE BID

| NYS DOT Item # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------|-------------------------------------------------------------------|-----------|------|---------------------------------------------|----------------------|----------------|
| 619.01 | Basic Work Zone Traffic Control | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| 625.01 | Survey Operations | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| 699.04001 | Mobilization | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| | Field Allowance | 1 | LS | Twenty-five Thousand Dollars and Zero Cents | \$25,000 | \$25,000.00 |
| | Section 01 2000 Price and Payment Procedures: Bonds and Insurance | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| | Section 01 2000 Price and Payment Procedures: Submittals | 1 | LS | _____ dollars _____ cents | \$ | \$ |
| Total This Page | | | | | | |

| | In Words | In Figures (Numbers) |
|-------------------------------------------------------|------------------------------|----------------------|
| TOTAL BASE BID (Lump Sum Total) Contract No. 2 | _____ dollars _____ cents | |

(Transfer this figure onto sheet 8 of the Form of Proposal)

ALTERNATE NO. 2-1 – COURT SURFACING SYSTEM

| NYS DOT ITEM # | ITEM DESCRIPTION | EST. QTY. | UNIT | UNIT PRICE (WORDS) | UNIT PRICE (FIGURES) | EXTENDED TOTAL |
|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------|------|---------------------------------------------------------------------------|-----------------------------|-------------------|
| | Section 32 1823.53 Tennis Court Surfacing System (Uncushioned) for Tennis Courts, Pickleball Courts and Basketball Court. | 41880 | SY | <hr/> <hr/> <hr/> <div style="text-align: right;">dollars cents</div> | \$ | \$ |
| | | | | In WORDS | In FIGURES (NUMBERS) | |
| Total for Alternate No. 2-1 Tennis Court Surfacing System | | | | <hr/> <hr/> <hr/> <div style="text-align: right;">Dollars cents</div> | \$ | |

(Transfer this figure onto sheet 8 of the Form of Proposal)

FORM OF PROPOSAL
Jefferson Community College
Contract 2- Tennis Court Reconstruction

Undersigned _____
Contractor

_____ Address _____ Zip Code

hereby certifies that he has examined and fully comprehends the requirements and intent of the drawings and specifications as prepared by BCA Architects & Engineers for **CONTRACT NO. 2 – TENNIS COURT RECONSTRUCTION** to furnish all labor, materials, supplies, plant and equipment and other facilities to properly perform the work for the total:

TOTAL BASE BID (*Bring to total forward from spreadsheet*)

_____ DOLLARS (\$ _____)

ALTERNATES

ALTERNATE NO. 1-1 – TENNIS COURT SURFACING SYSTEM (*Bring to total forward from spreadsheet*)

_____ DOLLARS (\$ _____)
(ADD)

FORM OF PROPOSAL
Jefferson Community College
Contract 2- Tennis Court Reconstruction

Receipt of the following Addenda is hereby acknowledged:

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

No. _____ dated _____

(Name of Bidder)

Signed _____

Title _____

Street _____

City/State _____ Zip Code _____

Telephone _____

Fax _____

Cell Phone _____

Email _____

Date _____, 2024 _____

NON-COLLUSIVE BIDDING CERTIFICATE

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:

- (1) the prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
- (2) unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly to any other bidder or to any competitor; and
- (3) no attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(Signed) _____

Title

RESOLUTION - for corporate bidders only

RESOLVED that _____ be authorized to sign and submit the bid

(individual)

or proposal of this corporation for the following project

(describe project)

and to include in such bid or proposal the certificate as to non-collusion required by section one hundred three-d of the General Municipal Law as the act and deed of such corporation, and for any inaccuracies or misstatements in such certificate this corporate bidder shall be liable under the penalties of perjury.

=====
The foregoing is a true and correct copy of the resolution adopted by _____
corporation at a meeting of its Board of _____ held on the _____
day of _____, 20__.

(SEAL OF CORPORATION)

**Statement Concerning Authority to do Business
in the State of New York for non-New York State Companies**

Please complete all requested information in both sections below.

A certificate of authority is required of out of state companies if the company has property, employees or agents used in conducting its business activities within the state of New York. Generally, business activities are defined as having an office in the state, making sales or promotional calls within the state, delivering products or merchandise and/or making service calls within the state.

Companies conducting mail order activities with New York customers are not considered doing business within New York State if the company **has no property, employees, agents and/or representatives in or, traveling into the state.** _____ is such a mail order company, and as such, is not
(Fill in company name)
required to hold a Certificate of Authority.

Performance under the attached bid will not result in any action that would result in a requirement to obtain a Certificate as all commerce will be conducted by mail. It is the opinion of the legal counsel for this firm:

Name _____
Address _____ Complete the information
Address _____
Telephone _____

that this firm is not required to file an Authority to do Business in New York State as required by Section 1301 of the NYS Business Corporate Law.

=====
Complete one of the following two acknowledgements in addition to above information.

Individual Acknowledgment for Sole Proprietors or Partnerships

Signature

State of _____
County of _____ ss.
On this _____ day of _____ two thousand and _____
before me, the subscriber, personally appeared _____
to me personally known and known to me to be the same person described in and who executed the within
Instrument, and he acknowledged to me that he executed the same.

Notary Public

Corporate Acknowledgment for corporations or LLC's

Signature

State of _____
County of _____ ss.
On this _____ day of _____, two thousand and _____ before me personally known, who,
being by me duly sworn did depose and say that he resides in _____ that he is the
_____ of _____ the corporation described in, and which executed, the above Instrument; that
he knows the seal of said corporation; that the seal affixed to said Instrument is such corporate seal; that it was so
affixed by order of the Board of Directors of said corporation; and that he signed his/her name thereto by like order.

NOTARY PUBLIC

FEDERAL LAW CERTIFICATION

I, _____ [insert name], the _____
[insert title] of _____ [name of company],
_____ [Nine Digit DUNS Number] hereby swear or affirm that the following is true:

1. The company, its principles or entities related to the company named above, is not now, nor ever has been, debarred from contracting with the United States Government or any State government.
2. The company is not now under investigation by any agency of the Federal Government or the government of any State for any actions by the company, its principles or any related entity, for any alleged malfeasance or misfeasance of any kind or nature which could lead to a debarment from governmental contracting or criminal prosecution, as well as render any contracts signed in reliance on this certification voidable by the party relying on this certification. This includes any violations related to the Davis-Bacon Act, the federal prevailing wage statute, the Copeland Act and the Contract Hours and Safety Standards Act which covers hours of work and safety standards in federal public contracting.
3. I have full legal authority under my company’s organizational documents or bylaws to make this certification on the company’s behalf.
4. I understand that submission of a false statement on this document will subject me to criminal prosecution.

(Date)

(Signature)

THIS FORM MUST BE COMPLETED AND SUBMITTED WITH THE BID

SPECIAL NOTE

PG BINDER AND MIX DESIGN LEVEL

Requirements of this note apply to all Section 404 Asphalt Pavement items in this contract, except for shim, permeable base, temporary pavements, and miscellaneous, which may use non-modified PG binders such as PG 64S-22 and PG 64H-22.

PG BINDER

Use polymer or Terminal Blend Crumb Rubber modified **PG 64V-22** (Very High) meeting the requirements of AASHTO M 332, *Standard Specification for Performance Graded Asphalt Binder using Multiple Stress Creep Recovery (MSCR)*, for the production of asphalt mixtures for this project. In addition, the binder grade must also meet the **elastomeric** properties as indicated by one of the following equations for %R_{3.2}:

1. For $J_{nr3.2} \geq 0.1$, $\%R_{3.2} > 29.371 * J_{nr3.2}^{-0.2633}$
2. For $J_{nr3.2} < 0.1$, $\%R_{3.2} > 55$

Where:

R_{3.2} is % recovery at 3.2 kPa

J_{nr3.2} is the average non-recoverable creep compliance at 3.2 kPa

When terminal blend CRM PG binder is used, the following shall apply:

- Crumb rubber particles shall be finer than #30 sieve size.
- The CRM PG binder shall be storage-stable and homogeneous.
- The Dynamic Shear Rheometer (DSR) shall be set at 2-mm gap.
- The CRM PG binder shall be 99% free of particles retained on the 600 µm sieve as tested in accordance with Section 5.4 of M 332.

Use of polyphosphoric acid (PPA) to modify the PG binder properties is prohibited for mixtures under this contract. This prohibition also applies to the use of PPA as a cross-linking agent for polymer modification.

MIX DESIGN

The mixture designs must be developed in accordance with the criteria specified in the asphalt pavement items that are appropriate for the Mixture Design Level of **50 Gyration**s.

Note: The PG binder for this project will be modified with polymer or CRM additives to meet the requirements stated above. Handling of the asphalt mixture shall be discussed at pre-construction and pre-paving meetings.